

MOOD DOWNLIGHT

Φ75


Fixed Round Wall Wash





cutout :75mm



Wall Wash optic




X = distance to wall
= ceiling height ÷ 5.5



Recessed round wall-washer luminaire designed for creating a vertical downward beam of light

IP Rating: IP20 and IP44 options
Optics: Wall Wash
UGR: <17
CRI: 98Ra
Lifetime: >50,000 hrs (L70 B10)
CCT: 2700K/3000K/3500K/4000K/5000K/
2000K-3000K/1800K-4000K/2700K-6000K

Typical Source
Efficacy (lm/W): 110
Control: On/off, Mains Dim, 0/1-10V, Dali, Zigbee, Casambi
Binning: 2 Step MacAdams
Input: AC220-240V 50/60Hz
Output: DC 36V 200mA 8W
DC 36V 250mA 10W
DC 36V 300mA 12W
Ambient temp: -20 C to 45 C
Class: II



12W Ra98 3000K
Asymmetrical

h(m)	E lx	D(m)
0.5	1272	0.40
1.0	318	0.80
1.5	141	1.21
2.0	80	1.61
2.5	51	2.01
3.0	35	2.41



DuraGreen project:
Luxury Apartment



W system	lm system	optics	code
8W	406	Wall Wash	MFW7508W-30NWS-W



W system	lm system	optics	code
10W	516	Wall Wash	MFW7510W-30NWS-W



W system	lm system	optics	code
12W	590	Wall Wash	MFW7512W-30NWS-W



MOOD light fittings, stylishly designed with trendy colors and high-quality materials, radiate sophistication and elegance. They offer endless possibilities and exceptional versatility, easily adapting to any space.





Black Matt



White Matt




Silver Matt



Black Specular




Silver Specular



Gold Specular



Grey Specular



Specification Code

Type	Cut out	Power	Colour Temp	Driver	Beam Width	Bezel Colour	Baffle Colour	Options
MF	75	08W	30	N	24	W	B	C
MF/Fixed	22/22mm		27/2700K	M/Mains Dim	05/5°	W/White	B/Black Specular	C/Clear Lens
AF/Adjustable	33/33mm		30/3000K	D/DALI	10/10°	B/Black	S/Silver Specular	F/Frosted Lens
MFL/Lens type, Fixed	35/35mm 40/40mm		40/4000K WD/Warm Dim	0/0-10V N/Non Dim	13/13° 15/15°	L/Polished Chrome G/Polished Brass	W/White Matt BM/Black Matt	H/Honeycomb S/Spread Lense
AFL/Lens type, Adjustable	45/45mm 55/55mm		1840/1800K-4000K 2765/2700K-6500K	X/No Driver	20/20° 24/24°	J/Antique Bronze S/Satin Nickle		
MFW/Wall Wash	58/58mm				30/30°			
MFZ/Zoomable	75/75mm				36/36°			
MFP/Pinhole	80/80mm				50/50°			
MFQ/Fixed Square	100/100mm							