

MINI-LINE 11 TRACK 48V


Minimal track. Precise focus.
Quiet luxury.

DuraGreen brings its miniature architectural lighting expertise to Stucci's ultra-slim Micro 11 track system.

The range combines selected ARTFOCUS 36mm spotlights for precise directional accent lighting with Alabaster Luna and Alabaster Glow surface lights for soft, quiet-luxury ambience.



9601-S/...

Wired concealed End feed



9603/...

Joining connector



9601-E/...


External End feed



9618-S/...

Flexible joint


Slim, discreet, and easy to install, the Micro 11 system is ideal for residential, retail, hospitality, and gallery-style interiors where refined lighting and a clean ceiling detail matter.



CAELIA ALABASTER LUNA 48V

Φ54

48V Surface Downlight



IP Rating:	IP20
Optics:	120°
UGR:	<10
CRI:	92Ra
Lifetime:	50,000 hrs (L90 B10)
CCT:	2700K/3000K/3500K/4000K
CCT on request:	2200K / WD 1800K - 3000K
Typical Source	
Efficacy (lm/W):	110
Control:	On/off, Dali
Binning	2 Step MacAdams
Input:	48 VDC
Output:	DC 36V 100mA 4W
Ambient temp:	-20 °C to 25 °C
Class:	III
Material:	Fine Aluminium 6063A + Alabaster Stone
Certifications:	CE



Code example:

M11 54 04W-AL -30 N 120-RC

M11/ MINI-LINE 11 48V

54/ 54 diffuser diameter

4W / system power


AL / Alabaster Luna

30 / 3000K

N / non dim

120 / beam angle 120°

RC/ Regency Champagne



W system	lm system	optics	code
4W	116	120°	M115404W-AL-30N120