

Black Matt



White Matt



Silver Matt



Black Specular




Silver Specular



Gold Specular



Grey Specular



Specification Code

Type	Cut out	Power	Colour Temp	Driver	Beam Width		Bezel Colour	Baffle Colour	Options
MF	**75**	**08W**	**30**	**N**	**24**	**-**	**W**	**B**	**C**
MF/Fixed AF/Adjustable MFL/Lens type, Fixed AFL/Lens type, Adjustable MFW/Wall Wash MFZ/Zoomable MFP/Pinhole MFQ/Fixed Square	55/55mm 60/58mm 75/75mm 80/80mm 100/100mm		22/2200K 27/2700K 30/3000K 35/3500K 40/4000K 2760/2700K-6000K 22/2200K 1830/1800K - 3000K 1840/1800K - 4000K	P/Phase Cut D/DALI 0/0-10V Z/Zigbee C/Casambi N/Non Dim X/No Driver	05/5° 10/10° 13/13° 15/15° 20/20° 24/24° 30/30° 36/36° 50/50° 55/55° WS/Wall Wash		W/White B/Black PC/Polished Chrome PB/Polished Brass AB/Antique Bronze SN/Satin Nickel	B/Black Matt W/White Matt SM/Silver Matt GRS/Grey Specular BS/Black Specular SS/Silver Specular GOS/Gold Specular	C/Clear Lens F/Frosted Lens H/Honeycomb S/Spread Lens

MOOD WALL-WASHER


Ø75
Mini-Trim Fixed Round Wall Wash Downlight



CUTOUT :75mm



Wall Wash optic





bezel




Black White

baffle




Black Matt White Matt Silver Specular

IP Rating:	IP20 and IP44 options
Optics:	Wall Wash
UGR:	<17
CRI/RF/RG/R9:	typ. 98/95/104/97
Lifetime:	50,000 hrs (L90 B10)
CCT:	2700K / 3000K / 3500K / 4000K / 2700K-6000K
Typical Source Efficacy (lm/W):	110
Control:	On/off, Phase Cut, 0/1-10V, Dali, Zigbee, Casambi
Binning	2 Step MacAdams
Driver Input:	AC220-240V 50/60Hz
Electrical (System W):	DC 36V 200mA 8W DC 36V 250mA 10W DC 36V 300mA 12W
Ambient temp:	-20 ℃ to 25 ℃
Class:	III
Material:	Fine aluminium 6063A
Certifications:	CB, CE, RoHS, UKCA, GLOBAL MARK, CCC



12W Ra98 3000K
Asymmetrical

h(m)	E(lx)	D(m)
0.5	1272	0.40
1.0	318	0.80
1.5	141	1.21
2.0	80	1.61
2.5	51	2.01
3.0	35	2.41



X = distance to wall
= ceiling height ÷ 5.5





DuraGreen project:
Luxury Apartment

Code example:

MFW 75 12W-30 N WS-W B
MFW/ fixed wall wash
75 / cutout 75mm
12W / system power
30 / 3000K
N / non dim
WS / wall wash
W/ white bezel
B/ black baffle



W system	lm system	optics	code
8W	406	Wall Wash	MFW7508W-30NWS



W system	lm system	optics	code
10W	516	Wall Wash	MFW7510W-30NWS



W system	lm system	optics	code
12W	590	Wall Wash	MFW7512W-30NWS